# Author Index


Ades, E.W., Hierholzer, J.C., George, V., Black, J. and Candal, F., Viral susceptibility of an immortalized human microvascular endothelial cell line, 83
Angell, M.G., Christensen, N.D. and Kreider, J.W., An in vitro system for studying the initial stages of cottontail rabbit papillomavirus infection, 207

Balfe, P., A statistical method for the detection of false positives and false negatives in microtitre format PCR assays, 69
Benjelloun, B., see Mazeron, M.-C., 311
Benjelloun, B., see Mazeron, M.-C., 311
Bertrand, C., see Mazeron, M.-C., 311
Bertrand, C., see Mazeron, M.-C., 311
Best, J.M., see Thomas, H.I.J., 149
Black, J., see Ades, E.W., 83
Bockstahler, L.E., Carney, P.G., Bushar, G. and Sagripanti, J.-L., Detection of Junin virus by the polymerase chain reaction, 231
Boutilier, J.E., see Lee, S.H.S., 39
Brock, J.A., see Nadala, Jr., E.C.B., 227
Brown, C.S., see Salimans, M.M.M., 247
Browning, M., see Osborne, R., 15
Bushar, G., see Bockstahler, L.E., 231

Caldicott, D., see Thomas, H.I.J., 149
Candal, F., see Ades, E.W., 83
Candresse, T., see Wetzel, T., 27
Carney, P.G., see Bockstahler, L.E., 231
Carrick, R.J., Schlauder, G.G., Peterson, D.A. and Mushahwar, I.K., Examination of the buoyant density of hepatitis C virus by the polymerase chain reaction, 279
Cavalieri, F., see Fineschi, N., 157
Choo, W.K.P., see Lee Ng, M., 125
Christensen, N.D., see Angell, M.G., 207
Claas, E.C.J., Sprenger, M.J.W., Kleter, G.E.M., van Beek, R., Quint, W.G.V. and Masurel, N., Type-specific identification of influenza viruses A, B and C by the polymerase chain reaction, 1
Cleator, G., see Morris, D.J., 319

D'Arcy, C.J., see Fouly, H.M., 291
Dale, J.L., see Smith, G.R., 237
Dale, J.L., see Smith, G.R., 237
Domier, L.L., see Fouly, H.M., 291
Drastini, Y., Kibenge, F.S.B., McKenna, P.K. and Lopez, A., Comparison of eight different procedures for harvesting avian reoviruses grown in Vero cells, 269
Dunez, J., see Wetzel, T., 27

Easton, A.J., see Major, M.E., 217
Eglin, R.P., see Major, M.E., 217
Enders, G., see Thomas, H.I.J., 149

Fineschi, N., Pellegrini, V., Zuckerman, A.J. and Cavalieri, F., Assessment of inactivation of hepatitis A vaccine by compound PCR, 157
Fitzgerald, T.A., see Redmond, D.L., 165
Forward, K.R., see Lee, S.H.S., 39
Fouly, H.M., Domier, L.L. and D'Arcy, C.J., A rapid chemiluminescent detection method for barley yellow dwarf virus, 291

Gambaryan, A.S. and Matrosovich, M.N., A solid-phase enzyme-linked assay for influenza virus receptor-binding activity, 111
George, V., see Ades, E.W., 83
Germann, D., see Telenti, A., 259

Herring, A.J., see Redmond, D.L., 165
Hierholzer, J.C., see Ades, E.W., 83
Hierholzer, J.C., see Thörner, A., 101
Hiruki, C., see Welnicki, M., 91
Ho, Y.L., see Lee Ng, M., 125
Hörling, J., Lundkvist, A., Huggins, J.W. and Niklasson, B., Antibodies to Puumala virus in humans determined by neutralization test, 139
Huggins, J.W., see Hörling, J., 139
Hunsmann, G., see Voss, G., 185

Imboden, P., see Telenti, A., 259
Inglis, N.F., see Redmond, D.L., 165

Jarrett, W., see Osborne, R., 15
Jenkins, C.E., An enzyme-linked immunosorbent assay for detection of porcine parvovirus in fetal tissues, 179
Johansson, M.E., see Thörner, A., 101

Kibenge, F.S.B., see Drastini, Y., 269
Klapper, P.E., see Morris, D.J., 319
Kleter, G.E.M., see Claas, E.C.J., 1
Kreider, J.W., see Angell, M.G., 207

Lee, S.H.S., Boutilier, J.E., MacDonald, M.A. and Forward, K.R., Enhanced detection of respiratory viruses using the shell vial technique and monoclonal antibodies, 39
Lee Ng, M., Choo, W.K.P. and Ho, Y.L., Detection of flavivirus antigens in purified infected Vero cell plasma membranes , 125
Loh, P.C., see Nadala, Jr., E.C.B., 227
Lopez, A., see Drastini, Y., 269
Lu, Y., see Nadala, Jr., E.C.B., 227
Lundkvist, ., see Hörling, J., 139

MacDonald, M.A., see Lee, S.H.S., 39
Macquaire, G., see Wetzel, T., 27
Maguire, T., see Wenbin, C., 197
Mahoney, A., see Thorp, R.W., 47
Major, M.E., Eglin, R.P. and Easton, A.J., 3′ Terminal nucleotide sequence of human astrovirus type 1 and routine detection of astrovirus nucleic acid and antigens, 217
Mason, H., see Osborne, R., 15
Masurel, N., see Claas, E.C.J., 1
Matrosovich, M.N., see Gambaryan, A.S., 111
Mazeron, M.-C., Benjelloun, B., Bertrand, C., Pons, J.-L. and Pérol, Y., Comparison of MRC-5 and continuous cell lines for detection of cytomegalovirus in centrifugation cultures, 311
Mazeron, M.-C., Benjelloun, B., Bertrand, C., Pons, J.-L. and Pérol, Y., Comparison of MRC-5 and continuous cell lines for detection of cytomegalovirus in centrifugation cultures, 311
McKenna, P.K., see Drastini, Y., 269
Mitchell, R., see Osborne, R., 15
Morgan-Capner, P., see Thomas, H.I.J., 149
Morris, D.J., Klapper, P.E. and Cleator, G., Detection of false seroconversions in cytomegalovirus seronegative platelet donors by serial complement fixation or IgG-specific radioimmunosorbent tests, 319
Mortimer, J.Y., see Thorp, R.W., 47
Mortimer, P.P., see Thorp, R.W., 47
Mumford, J.A., see Sinclair, R., 299
Mushahwar, I.K., see Carrick, R.J., 279

Nadala, Jr., E.C.B., Lu, Y., Loh, P.C. and Brock, J.A., A streptavidin-biotin-enhanced nitrocellulose enzyme immunoassay for the detection of rhabdovirus of penaeid shrimps from infected animals, 227
Nicholas, J.A., see Rubino, K.L., 55
Nick, S., see Voss, G., 185
Niklasson, B., see Hörling, J., 139

Osborne, R., Mason, H., Browning, M., Mitchell, R. and Jarrett, W., A sensitive assay for detection and measurement of neutralising antibody to human immunodeficiency virus, 15
O'Shea, S., see Thomas, H.I.J., 149

Pellegrini, V., see Fineschi, N., 157
Peterson, D.A., see Carrick, R.J., 279
Pons, J.-L., see Mazeron, M.-C., 311
Pons, J.-L., see Mazeron, M.-C., 311
Pérol, Y., see Mazeron, M.-C., 311
Pérol, Y., see Mazeron, M.-C., 311

Quint, W.G.V., see Claas, E.C.J., 1

Ravelonandro, M., see Wetzel, T., 27
Redmond, D.L., Inglis, N.F., Fitzgerald, T.A., Snodgrass, D.R. and Herring, A.J., A liquid-hybridization method for typing the Vp4 and Vp7 genes of bovine rotaviruses, 165
Ritter, K., see Voss, G., 185
Rubino, K.L. and Nicholas, J.A., A novel, spectrophotometric microneutralization assay for respiratory syncytial virus, 55

Sagripanti, J.-L., see Bockstahler, L.E., 231
Salimans, M.M.M., van Bussel, M.J.A.W.M., Brown, C.S. and Spaan, W.J.M., Recombinant parvovirus B19 capsids as a new substrate for detection of B19-specific IgG and IgM antibodies by an enzyme-linked immunosorbent assay, 247
Schlauder, G.G., see Carrick, R.J., 279
Sinclair, R. and Mumford, J.A., Rapid detection of equine herpesvirus type-1 antigens in nasal swab specimens using an antigen capture enzyme-linked immunosorbent assay, 299
Smith, G.R., Van de Velde, R and Dale, J.L., PCR amplification of a specific double-stranded RNA region of Fiji disease virus from diseased sugarcane, 237
Smith, G.R., Van de Velde, R. and Dale, J.L., PCR amplification of a specific double-stranded RNA region of Fiji disease virus from diseased sugarcane, 237
Snodgrass, D.R., see Redmond, D.L., 165
Spaan, W.J.M., see Salimans, M.M.M., 247
Sprenger, M.J.W., see Claas, E.C.J., 1
Stahl-Hennig, C., see Voss, G., 185

Telenti, A., Imboden, P. and Germann, D., Competitive polymerase chain reaction using an internal standard: application to the quantitation of viral DNA, 259
Thomas, H.I.J., Morgan-Capner, P., Enders, G.,

O'Shea, S., Caldicott, D. and Best, J.M., Persistence of specific IgM and low avidity specific $IgG_1$ following primary rubella, 149

Thörner, A., Johansson, M.E. and Hierholzer, J.C., Restriction endonuclease patterns of adenovirus type 12 and 18, 101

Thorp, R.W., Mortimer, J.Y., Mahoney, A. and Mortimer, P.P., Is the IEMA combined incubator/shaker device preferable to a waterbath for incubating enzyme immunoassays?, 47

Van Beek, R., see Claas, E.C.J., 1

Van Bussel, M.J.A.W.M., see Salimans, M.M.M., 247

Van de Velde, R, see Smith, G.R., 237

Van de Velde, R., see Smith, G.R., 237

Voss, G., Nick, S., Stahl-Hennig, C., Ritter, K. and Hunsmann, G., Generation of macaque B lymphoblastoid cell lines with simian Epstein-Barr-like viruses: transformation procedure, characterization of the cell lines and occurrence of simian foamy virus, 185

Welnicki, M. and Hiruki, C., Highly sensitive digoxigenin-labelled DNA probe for the detection of potato spindle tuber viroid, 91

Wenbin, C., Xinyong, Q. and Maguire, T., A simple and rapid method of preparing large fragments of dengue virus cDNA from replicative-form RNA using reverse transcriptase and PCR, 197

Wetzel, T., Candresse, T., Macquaire, G., Ravelonandro, M. and Dunez, J., A highly sensitive immunocapture polymerase chain reaction method for plum pox potyvirus detection, 27

Xinyong, Q., see Wenbin, C., 197

Zuckerman, A.J., see Fineschi, N., 157

# Subject Index

**AZT**, B-lymphoblastoid cell line, Rhesus Epstein-Barr virus, Herpesvirus papio, Simian foamy virus, Syncytia formation, 185
**Adenovirus type 12**, Adenovirus type 18, Adenovirus type 31, Restriction endonuclease pattern, Genomic cluster, DNA variant, 101
**Adenovirus type 18**, Adenovirus type 12, Adenovirus type 31, Restriction endonuclease pattern, Genomic cluster, DNA variant, 101
**Adenovirus type 31**, Adenovirus type 12, Adenovirus type 18, Restriction endonuclease pattern, Genomic cluster, DNA variant, 101
**Antibody capture IgM ELISA**, Human parvovirus B19, Recombinant viral antigen, Diagnosis, ELISA, 247
**Arenavirus**, Junin virus, Polymerase chain reaction, Argentine hemorrhagic fever, 231
**Argentine hemorrhagic fever**, Junin virus, Arenavirus, Polymerase chain reaction, 231
**Astrovirus**, Sequence, PCR, Detection, 217
**Avian reovirus**, Vero cell, Virus replication, Cell-associated virus, Virus harvest, 269
**Avidity**, Rubella, Specific IgM, 149

**B-lymphoblastoid cell line**, Rhesus Epstein-Barr virus, Herpesvirus papio, Simian foamy virus, Syncytia formation, AZT, 185
**Buoyant density**, Hepatitis C virus, Polymerase chain reaction, Hepatitis C viral RNA, 279

**CRPV**, Transcription, Infection, Neutralization, Cell culture, 207
**Cell culture**, CRPV, Transcription, Infection, Neutralization, 207
**Cell lines**, Cytomegalovirus (human), Centrifugation culture, 311
**Cell lines, continuous**, Cytomegalovirus (human), Centrifugation culture, Fibroblast (human), Immediate early antigen, 311
**Cell-associated virus**, Avian reovirus, Vero cell, Virus replication, Virus harvest, 269
**Centrifugation culture**, Cytomegalovirus (human), Cell lines, 311
**Centrifugation culture**, Cytomegalovirus (human), Cell lines, continuous, Fibroblast (human), Immediate early antigen, 311
**Clinical specimen**, Influenza, Non-structural, PCR, Diagnosis, 1
**Cloning**, Flavivirus, Dengue, PCR, Replicative form, 197
**Complement-fixation test**, Cytomegalovirus seroconversion, Platelet donor, Radio-immunosorbent test, 319
**Cross-reactivity between strains**, HIV-neutralizing antibody, low levels of, 15
**Cytomegalovirus (human)**, Centrifugation culture, Cell lines, 311
**Cytomegalovirus (human)**, Centrifugation culture, Cell lines, continuous, Fibroblast (human), Immediate early antigen, 311
**Cytomegalovirus seroconversion**, Platelet donor, Complement-fixation test, Radio-immunosorbent test, 319
**Cytopathology**, Microneutralization, Endpoint titer, RSV, 55

**DNA variant**, Adenovirus type 12, Adenovirus type 18, Adenovirus type 31, Restriction endonuclease pattern, Genomic cluster, 101
**Dengue**, Flavivirus, PCR, Cloning, Replicative form, 197
**Detection**, PCR, Immunocapture, Plum pox virus, Molecular hybridization, ELISA, 27
**Detection**, Astrovirus, Sequence, PCR, 217
**Diagnosis**, Influenza, Non-structural, PCR, Clinical specimen, 1
**Diagnosis**, Polymerase chain reaction, Fiji disease virus, dsRNA, 237
**Diagnosis**, Human parvovirus B19, Recombinant viral antigen, ELISA, Antibody capture IgM ELISA, 247
**Digoxigenin-labelling**, PSTV, Viroid, Dot-blot hybridization, Non-radioactive probe, 91
**Dot blot**, Luteovirus, Hybridization, 291
**Dot-blot hybridization**, PSTV, Viroid, Non-radioactive probe, Digoxigenin-labelling, 91

**ELISA**, PCR, Immunocapture, Plum pox virus, Detection, Molecular hybridization, 27
**ELISA**, Hantavirus, Puumala virus, Neutralization test, 139
**ELISA**, HAV, Vaccine, Inactivation, PCR, VP1, 157
**ELISA**, Human parvovirus B19, Recombinant viral antigen, Diagnosis, Antibody capture IgM ELISA, 247
**ELISA**, Equid herpesvirus type-1, Rapid diagnosis, Nasal swab, 299

**Endpoint titer**, Microneutralization, Cytopathology, RSV, 55
**Enzyme-linked immunosorbent assay**, Porcine parvovirus, 179
**Equid herpesvirus type-1**, Rapid diagnosis, ELISA, Nasal swab, 299

**False result**, PCR, Probability distribution, 69
**Fibroblast (human)**, Cytomegalovirus (human), Centrifugation culture, Cell lines, continuous, Immediate early antigen, 311
**Fiji disease virus**, Polymerase chain reaction, dsRNA, Diagnosis, 237
**Flavivirus**, Dengue, PCR, Cloning, Replicative form, 197
**Flavivirus antigen**, Plasma membrane, 125

**Genomic cluster**, Adenovirus type 12, Adenovirus type 18, Adenovirus type 31, Restriction endonuclease pattern, DNA variant, 101

**HAV**, Vaccine, Inactivation, ELISA, PCR, VP1, 157
**HIV quantitation**, Splicing by overlap extension, Recombinant DNA, Polymerase chain reaction (PCR) internal standard, 259
**HIV-neutralizing antibody, low levels of**, Cross-reactivity between strains, 15
**Hantavirus**, Puumala virus, Neutralization test, ELISA, 139
**Hepatitis C viral RNA**, Hepatitis C virus, Polymerase chain reaction, Buoyant density, 279
**Hepatitis C virus**, Polymerase chain reaction, Hepatitis C viral RNA, Buoyant density, 279
**Herpesvirus papio**, B-lymphoblastoid cell line, Rhesus Epstein-Barr virus, Simian foamy virus, Syncytia formation, AZT, 185
**Human microvascular endothelium**, Viral susceptibility, 83
**Human parvovirus B19**, Recombinant viral antigen, Diagnosis, ELISA, Antibody capture IgM ELISA, 247
**Hybridization**, Rotavirus, Serotyping, Vp4, Vp7, Monoclonal enzyme-linked immunosorbent assay, 165
**Hybridization**, Luteovirus, Dot blot, 291

**Immediate early antigen**, Cytomegalovirus (human), Centrifugation culture, Cell lines, continuous, Fibroblast (human), 311
**Immunocapture**, PCR, Plum pox virus, Detection, Molecular hybridization, ELISA, 27
**Inactivation**, HAV, Vaccine, ELISA, PCR, VP1, 157
**Incubator**, Shaker, Waterbath, 47
**Infection**, CRPV, Transcription, Neutralization, Cell culture, 207
**Influenza**, Non-structural, PCR, Clinical specimen, Diagnosis, 1
**Influenza virus**, Virus receptor-binding activity, Virus inhibitor, Sialic acid, Sialylglycoprotein, Solid-phase enzyme-linked assay, 111

**Junin virus**, Arenavirus, Polymerase chain reaction, Argentine hemorrhagic fever, 231

**Luteovirus**, Dot blot, Hybridization, 291

**Microneutralization**, Cytopathology, Endpoint titer, RSV, 55
**Molecular hybridization**, PCR, Immunocapture, Plum pox virus, Detection, ELISA, 27
**Monoclonal antibody panel**, Respiratory virus, Shell vial method, 39
**Monoclonal enzyme-linked immunosorbent assay**, Rotavirus, Serotyping, Vp4, Vp7, Hybridization, 165

**Nasal swab**, Equid herpesvirus type-1, Rapid diagnosis, ELISA, 299
**Neutralization**, CRPV, Transcription, Infection, Cell culture, 207
**Neutralization test**, Hantavirus, Puumala virus, ELISA, 139
**Non-radioactive probe**, PSTV, Viroid, Dot-blot hybridization, Digoxigenin-labelling, 91
**Non-structural**, Influenza, PCR, Clinical specimen, Diagnosis, 1

**PCR**, Influenza, Non-structural, Clinical specimen, Diagnosis, 1
**PCR**, Immunocapture, Plum pox virus, Detection, Molecular hybridization, ELISA, 27
**PCR**, False result, Probability distribution, 69
**PCR**, HAV, Vaccine, Inactivation, ELISA, VP1, 157
**PCR**, Flavivirus, Dengue, Cloning, Replicative form, 197
**PCR**, Astrovirus, Sequence, Detection, 217
**PSTV**, Viroid, Dot-blot hybridization, Non-radioactive probe, Digoxigenin-labelling, 91
**Penaeid shrimp**, Rhabdovirus, Streptavidin-biotin-enhanced nitrocellulose enzyme immunoassay, 227
**Plasma membrane**, Flavivirus antigen, 125
**Platelet donor**, Cytomegalovirus seroconversion, Complement-fixation test, Radio-immunosorbent test, 319
**Plum pox virus**, PCR, Immunocapture, Detection, Molecular hybridization, ELISA, 27

**Polymerase chain reaction**, Junin virus, Arenavirus, Argentine hemorrhagic fever, 231
**Polymerase chain reaction**, Fiji disease virus, dsRNA, Diagnosis, 237
**Polymerase chain reaction**, Hepatitis C virus, Hepatitis C viral RNA, Buoyant density, 279
**Polymerase chain reaction (PCR) internal standard**, HIV quantitation, Splicing by overlap extension, Recombinant DNA, 259
**Porcine parvovirus**, Enzyme-linked immunosorbent assay, 179
**Probability distribution**, PCR, False result, 69
**Puumala virus**, Hantavirus, Neutralization test, ELISA, 139

**dsRNA**, Polymerase chain reaction, Fiji disease virus, Diagnosis, 237
**RSV**, Microneutralization, Cytopathology, End-point titer, 55
**Radio-immunosorbent test**, Cytomegalovirus seroconversion, Platelet donor, Complement-fixation test, 319
**Rapid diagnosis**, Equid herpesvirus type-1, ELISA, Nasal swab, 299
**Recombinant DNA**, HIV quantitation, Splicing by overlap extension, Polymerase chain reaction (PCR) internal standard, 259
**Recombinant viral antigen**, Human parvovirus B19, Diagnosis, ELISA, Antibody capture IgM ELISA, 247
**Replicative form**, Flavivirus, Dengue, PCR, Cloning, 197
**Respiratory virus**, Monoclonal antibody panel, Shell vial method, 39
**Restriction endonuclease pattern**, Adenovirus type 12, Adenovirus type 18, Adenovirus type 31, Genomic cluster, DNA variant, 101
**Rhabdovirus**, Streptavidin-biotin-enhanced nitrocellulose enzyme immunoassay, Penaeid shrimp, 227
**Rhesus Epstein-Barr virus**, B-lymphoblastoid cell line, Herpesvirus papio, Simian foamy virus, Syncytia formation, AZT, 185
**Rotavirus**, Serotyping, Vp4, Vp7, Monoclonal enzyme-linked immunosorbent assay, Hybridization, 165
**Rubella**, Specific IgM, Avidity, 149

**Sequence**, Astrovirus, PCR, Detection, 217
**Serotyping**, Rotavirus, Vp4, Vp7, Monoclonal enzyme-linked immunosorbent assay, Hybridization, 165
**Shaker**, Incubator, Waterbath, 47
**Shell vial method**, Respiratory virus, Monoclonal antibody panel, 39
**Sialic acid**, Influenza virus, Virus receptor-binding activity, Virus inhibitor, Sialylglycoprotein, Solid-phase enzyme-linked assay, 111
**Sialylglycoprotein**, Influenza virus, Virus receptor-binding activity, Virus inhibitor, Sialic acid, Solid-phase enzyme-linked assay, 111
**Simian foamy virus**, B-lymphoblastoid cell line, Rhesus Epstein-Barr virus, Herpesvirus papio, Syncytia formation, AZT, 185
**Solid-phase enzyme-linked assay**, Influenza virus, Virus receptor-binding activity, Virus inhibitor, Sialic acid, Sialylglycoprotein, 111
**Specific IgM**, Rubella, Avidity, 149
**Splicing by overlap extension**, HIV quantitation, Recombinant DNA, Polymerase chain reaction (PCR) internal standard, 259
**Streptavidin-biotin-enhanced nitrocellulose enzyme immunoassay**, Rhabdovirus, Penaeid shrimp, 227
**Syncytia formation**, B-lymphoblastoid cell line, Rhesus Epstein-Barr virus, Herpesvirus papio, Simian foamy virus, AZT, 185

**Transcription**, CRPV, Infection, Neutralization, Cell culture, 207

**VP1**, HAV, Vaccine, Inactivation, ELISA, PCR, 157
**Vaccine**, HAV, Inactivation, ELISA, PCR, VP1, 157
**Vero cell**, Avian reovirus, Virus replication, Cell-associated virus, Virus harvest, 269
**Viral susceptibility**, Human microvascular endothelium, 83
**Viroid**, PSTV, Dot-blot hybridization, Non-radioactive probe, Digoxigenin-labelling, 91
**Virus harvest**, Avian reovirus, Vero cell, Virus replication, Cell-associated virus, 269
**Virus inhibitor**, Influenza virus, Virus receptor-binding activity, Sialic acid, Sialylglycoprotein, Solid-phase enzyme-linked assay, 111
**Virus receptor-binding activity**, Influenza virus, Virus inhibitor, Sialic acid, Sialylglycoprotein, Solid-phase enzyme-linked assay, 111
**Virus replication**, Avian reovirus, Vero cell, Cell-associated virus, Virus harvest, 269
**Vp4**, Rotavirus, Serotyping, Vp7, Monoclonal enzyme-linked immunosorbent assay, Hybridization, 165
**Vp7**, Rotavirus, Serotyping, Vp4, Monoclonal enzyme-linked immunosorbent assay, Hybridization, 165

**Waterbath**, Incubator, Shaker, 47